

Acknowledged as a leading manufacturer of wiring accessories, circuit protection and security devices, AVE's product range is known around the world for its outstanding quality and design.

With nearly 100 year's experience, AVE now enters directly British Standard markets offering its own solution for electrical accessories.

The main concept of the whole system is flexibility. Using a modular approach, different combinations can be achieved by using simple components, such as frames, plates and accessory modules.

A full range of BS sockets, switched and unswitched, along with 45A DP switches all fit into the system, offering symmetry through out the installation. This approach, allows many combinations. Accessories are assembled on-site to satisfy the requirements of most installations, avoiding the inconvenience and cost of having 'specials' manufactured.

Along with the development of dedicated frames to fit the single and twin British Standard wall mounted boxes Ave has produced a full range of plates. These are available in several different finishes including white, mirror chrome, satin

chrome, satin brass, polished brass. This wide choice ensures the right finish to match most decors.


As you would expect from a company with Ave's pedigree our products have been tested to the strictest standards in order to prove the quality, reliability and performance that is demanded in today's market place.

**SO** we have now answered the overwhelming question: can AVE supply products for B.S. markets **YES** With our new **YES System**



## ▲ Installation into 2 gang BS box












## ▼ Installation into 4 gang BS box



**Shallow module only 20mm deep**  
30% more room inside the box to make cabling easier.












## Serie NOIR AX

For the complete range of Noir modules see page 8 to 23

NOIR AX SERIES		Code	Description	Info	€	□	□
	<b>45333RSK</b>	45333RSK	Presa per rasoio 240/115V completa di armatura per scatola BS UA2 240/115V Shaver socket to be used with BS UA2 boxes - supplied with frame			1	1
	<b>45397TS</b>	45397TS	Presa standard BS1363 2P+T 13A 250V - alveoli protetti - 2 moduli BS1363 2P+E 13A 250V shuttered socket outlet - 2 module			5	50
	<b>45397TS5</b>	45397TS5	Presa standard BS546 2P+T 5A 250V - alveoli protetti - 2 moduli BS546 2P+E 5A 250V shuttered socket outlet - 2 module			5	50
	<b>45397TK</b>	45397TK	Presa standard BS1363 2P+T 13A 250V con interruttore 1P e spia luminosa alveoli protetti - completa di armatura per placche 45PK02...M BS1363 2P+E 13A 250V switched socket outlet with shutters and neon (optional) - 1P switch - supplied with frame for 45PK02...M front plates			12	12
	<b>45399TS</b>	45399TS	Presa standard BS546 2P+T 15A 250V con interruttore - alveoli protetti - 3 moduli BS546 2P+E 15A 250V switched socket outlet with shutters - 3 module			3	30
	<b>45399TK</b>	45399TK	Presa singola BS546 2P+T 15A 250V con interruttore e spia luminosa - alveoli protetti - completa di armatura per placche 45PK02...M BS546 2P+E 15A 250V switched socket outlet with shutters and neon (optional) - supplied with frame for 45PK02...M front plates			12	12
	<b>453SS1K</b>	453SS1K	Presa standard BS1363 2P+T 13A 250V con interruttore 2P e spia luminosa alveoli protetti - completa di armatura per placche 45PK02...M BS1363 2P+E 13A 250V switched socket outlet with shutters and neon (optional) - 2P switch - supplied with frame for 45PK02...M front plates			12	12
	<b>45SS2N</b>	45SS2N	Doppia presa standard BS1363 2P+T 13A 250V con interruttore - alveoli protetti - completa di armatura per placche 45PK04...M BS1363 2P+E 13A 250V twin switched socket outlet with shutters - supplied with frame for 45PK04...M front plates			2	2
<b>45397TK + 45LG</b> <b>453SS1K + 45LG</b>	<b>45LG</b>	45LG	Spia luminosa per prese 45397TK e 45399TK con vetrino rosso Pilot lamp for 45...97TK, 453SS1K and 45...99TK socket outlet with red window lens	C		1	100
	<b>45399TS</b>	45399TS	Presa telefonica "BT secondary" BT secondary telephone socket			10	10
	<b>45399TK</b>	45399TK					
	<b>45SS2N</b>	45SS2N					
	<b>453TCSBT</b>	453TCSBT					
	<b>45364QK</b>	45364QK	Interruttore bipolare 2P 45A illuminabile completo di armatura per scatola quadrata BS UA1 - utilizza placca 45PK02...M 45A double pole switch with neon (optional) - Supplied with frame for 45PK02...M front plates - To be used with BS UA1 boxes	C		2	2
	<b>45364R</b>	45364R	Interruttore bipolare 2P 45A illuminabile + 1 modulo cieco - completo di armatura per scatola rettangolare BS UA2 - utilizza placche 45PK04... 45A double pole switch with neon (optional) + 1 blank module - Supplied with frame for 45PK04...M front plates - To be used with BS UA2 boxes	C		1	1
	<b>45307x13</b>	45307x13	Portafusibile 13A 250V per cartuccia BS1362 fusibile incluso 13A 250V fuse carrier for BS1362 fuses - Supplied with fuse			1	10

# Serie BANQUISE











For the complete range of Banquise modules see from page 24 to page 37

BANQUISE AX SERIES		Code	Description	Info	€	□	□
	<b>45B33RSK</b>	Presa per rasoio 240/115V completa di armatura per scatola BS UA2	240/115V Shaver socket to be used with BS UA2 boxes - supplied with frame			1	1
	<b>45B97TS</b>	Presa standard BS1363 2P+T 13A 250V - alveoli protetti - 2 moduli	BS1363 2P+E 13A 250V shuttered socket outlet - 2 module			5	50
	<b>45B97TS5</b>	Presa standard BS546 2P+T 5A 250V - alveoli protetti - 2 moduli	BS546 2P+E 5A 250V shuttered socket outlet - 2 module			5	50
<b>45B33RSK</b>	<b>45B97TK</b>	Presa standard BS1363 2P+T 13A 250V con interruttore e spia luminosa alveoli protetti - completa di armatura per placche 45PK02...M	BS1363 2P+E 13A 250V switched socket outlet with shutters and neon (optional) - supplied with frame for 45PK02...M front plates			12	12
	<b>45B97TS</b>	Presa standard BS546 2P+T 15A 250V con interruttore - alveoli protetti - 3 moduli	BS546 2P+E 15A 250V switched socket outlet with shutters - 3 module			3	30
	<b>45B97TS5</b>	Presa singola BS546 2P+T 15A 250V con interruttore e spia luminosa - alveoli protetti - completa di armatura per placche 45PK02...M	BS546 2P+E 15A 250V switched socket outlet with shutters and neon (optional) - supplied with frame for 45PK02...M front plates			12	12
	<b>45BSS1K</b>	Presa standard BS1363 2P+T 13A 250V con interruttore 2P e spia luminosa alveoli protetti - completa di armatura per placche 45PK02...M	BS1363 2P+E 13A 250V switched socket outlet with shutters and neon (optional) - 2P switch - supplied with frame for 45PK02...M front plates			12	12
	<b>45B97TK + 45LG</b>	Doppia presa standard BS1363 2P+T 13A 250V con interruttore - alveoli protetti - completa di armatura per placche 45PK04...M	BS1363 2P+E 13A 250V twin switched socket outlet with shutters - supplied with frame for 45PK04...M front plates			2	2
<b>45BSS1K + 45LG</b>	<b>45LG</b>	Spia luminosa per prese 45397TK e 45399TK con vetrino rosso	Pilot lamp for 45...97TK 45BSS1K and 45...99TK socket outlet with red window lens	C		1	100
	<b>45B99TS</b>	Presa telefonica "BT" secondaria	BT secondary telephone socket			10	10
	<b>45B99TK</b>						
	<b>45B99TK</b>						
	<b>45SS2BB</b>						
	<b>45SS2BB</b>						
	<b>45BTCSBT</b>						
	<b>45BTCSBT</b>						
	<b>45B64QK</b>	Interruttore bipolare 2P 45A illuminabile completo di armatura per scatola quadrata BS UA1 - utilizza placca 45PK02...M	45A double pole switch with neon (optional) - Supplied with frame for 45PK02...M front plates - To be used with BS UA1 boxes	C		2	2
<b>45B64QK</b>	<b>45B64R</b>	Interruttore bipolare 2P 45A illuminabile + 1 modulo cieco - completo di armatura per scatola rettangolare BS UA2 - utilizza placche 45PK04...	45A double pole switch with neon (optional) + 1 blank module - Supplied with frame for 45PK04...M front plates - To be used with BS UA2 boxes	C		1	1
	<b>45B07x13</b>	Portafusibile 13A 250V per cartuccia BS1362 fusibile incluso	13A 250V fuse carrier for BS1362 fuses - Supplied with fuse			1	10
<b>45B07x13</b>	<b>45B64R</b>						
	<b>45B64R</b>						











## Serie BLANC

For the complete range of Blanc modules see page 38 to 51



BLANC SERIES	Code	Description	Info	€	□	□
	<b>45933RSK</b>	Presa per rasoio 240/115V completa di armatura per scatola BS UA2 240/115V Shaver socket to be used with BS UA2 boxes - supplied with frame			1	1
	<b>45997TS</b>	Presa standard BS1363 2P+T 13A 250V - alveoli protetti - 2 moduli BS1363 2P+E 13A 250V shuttered socket outlet - 2 module			5	50
	<b>45997TS5</b>	Presa standard BS546 2P+T 5A 250V - alveoli protetti - 2 moduli BS546 2P+E 5A 250V shuttered socket outlet - 2 module			5	50
<b>45333RSK</b>	<b>45997TK</b>	Presa standard BS1363 2P+T 13A 250V con interruttore e spia luminosa alveoli protetti - completa di armatura per placche 45PK02...M BS1363 2P+E 13A 250V switched socket outlet with shutters and neon (optional) - supplied with frame for 45PK02...M front plates			12	12
	<b>45999TS</b>	Presa standard BS546 2P+T 15A 250V con interruttore - alveoli protetti - 3 moduli BS546 2P+E 15A 250V switched socket outlet with shutters - 3 module			3	30
<b>45997TS</b>	<b>45999TK</b>	Presa singola BS546 2P+T 15A 250V con interruttore e spia luminosa - alveoli protetti - completa di armatura per placche 45PK02...M BS546 2P+E 15A 250V switched socket outlet with shutters and neon (optional) - supplied with frame for 45PK02...M front plates			12	12
	<b>459SS1K</b>	Presa standard BS1363 2P+T 13A 250V con interruttore 2P e spia luminosa alveoli protetti - completa di armatura per placche 45PK02...M BS1363 2P+E 13A 250V switched socket outlet with shutters and neon (optional) - 2P switch - supplied with frame for 45PK02...M front plates			12	12
	<b>45SS2B</b>	Doppia presa standard BS1363 2P+T 13A 250V con interruttore - alveoli protetti - completa di armatura per placche 45PK04...M BS1363 2P+E 13A 250V twin switched socket outlet with shutters - supplied with frame for 45PK04...M front plates			2	2
<b>45997TK + 45LG</b> <b>459SS1K</b>	<b>45LG</b>	Spia luminosa per prese 45397TK e 45399TK con vetrino rosso Pilot lamp for 45...97TK and 45...99TK socket outlet with red window lens	C		1	100
	<b>459TCSBT</b>	Presa telefonica "BT" secondary BT secondary telephone socket			10	10
<b>45999TS</b>						
	<b>45SS2B</b>					
<b>45999TK</b>						
	<b>45964QK</b>	Interruttore bipolare 2P 45A illuminabile completo di armatura per scatola quadrata BS UA1 - utilizza placca 45PK02...M 45A double pole switch with neon (optional) Supplied with frame for 45PK02...M front plates - To be used with BS UA1 boxes	C		2	2
	<b>45964R</b>	Interruttore bipolare 2P 45A illuminabile + 1 modulo cieco - completo di armatura per scatola rettangolare BS UA2 - utilizza placche 45PK04... 45A double pole switch with neon (optional) + 1 blank module - Supplied with frame for 45PK04...M front plates - To be used with BS UA2 boxes	C		1	1
<b>45964QK</b>	<b>45907x13</b>	Portafusibile 13A 250V per cartuccia BS1362 fusibile incluso 13A 250V fuse carrier for BS1362 fuses - Supplied with fuse			1	10
						
<b>45907x13</b>	<b>45964R</b>					

# Serie RAL

For the complete range of RAL modules see page 52 to 59









RAL SERIES	Code	Description	Info	€	□	□
 	<b>45597TS</b>	Presse standard BS1363 2P+T 13A 250V - alveoli protetti - 2 moduli BS1363 2P+E 13A 250V shuttered socket outlet - 2 module	C	5	50	
	<b>45597TS5</b>	Presse standard BS546 2P+T 5A 250V - alveoli protetti - 2 moduli BS546 2P+E 5A 250V shuttered socket outlet - 2 module	C	5	50	
	<b>45597TK</b>	Presse standard BS1363 2P+T 13A 250V con interruttore e spia luminosa alveoli protetti - completa di armatura per placche 45FK02...M BS1363 2P+E 13A 250V switched socket outlet with shutters and neon (optional) - supplied with frame for 45FK02...M front plates		12	12	
	<b>45599TS</b>	Presse standard BS546 2P+T 15A 250V con interruttore - alveoli protetti - 3 moduli BS546 2P+E 15A 250V switched socket outlet with shutters - 3 module	C	3	30	
	<b>45599TK</b>	Presse singola BS546 2P+T 15A 250V con interruttore e spia luminosa - alveoli protetti - completa di armatura per placche 45FK02...M BS546 2P+E 15A 250V switched socket outlet with shutters and neon (optional) - supplied with frame for 45FK02...M front plates	C	12	12	
<b>45597TK + 45LG</b>	<b>45SS2R</b>	Doppia presse standard BS1363 2P+T 13A 250V con interruttore - alveoli protetti - completa di armatura per placche 45FK04...M TBS1363 2P+E 13A 250V twin switched socket outlet with shutters - supplied with frame for 45FK04...M front plates		2	2	
 	<b>45LG</b>	Spia luminosa per prese 45397TK e 45399TK con vetrino rosso Pilot lamp for 45...97TK and 45...99TK socket outlet with red window lens	C	1	100	
	<b>455TCSBT</b>	Presse telefonica "BT secondary" BT secondary telephone socket	C	10	10	
 	<b>45599TK</b>					
	<b>45SS2R</b>					
	<b>45507x13</b>	Portafusibile 13A 250V per cartuccia BS1362 fusibile incluso 13A 250V fuse carrier for BS1362 fuses - Supplied with fuse	C	1	10	

# Armature

FRAMES	Code	Description	Info	€	□	□
	<b>45361K</b>	Armatura 1 modulo 1 gang frame		100	100	
	<b>45362K</b>	Armatura 2 moduli 2 gang frame		100	100	
	<b>45363K</b>	Armatura 3 moduli 3 gang frame		80	80	
<b>45361K</b>	<b>45764</b>	Armatura 4 moduli 4 gang frame		15	15	
	<b>45364</b>	Armatura 4 moduli per applicazioni speciali 4 gang frame for special applications contact us please		1	12	
<b>45362K</b>						

# British standard

## Placche in tecnopolimero



MOULDED FRONT PLATES - 2 MOD. / 2 GANG		Code	Description	Info	€	□	□
		45PK02AO	Argento opaco Matt silver		1	25	
		45PK02BB	Bianco Banquise Banquise white		1	25	
		45PK02BP	Bianco Elanc Elanc white		1	25	
		45PK02CHO	Champagne opaco Champagne		1	25	
		45PK02CR	Cromo Chrome		1	25	
		45PK02GSM	Grigio scuro metallizzato Metallic dark grey		1	25	
		45PK02OT	Ottone Brass		1	25	
							
							
							

Armatura da utilizzare  
To be used with

1 MOD. / 1 GANG		Code	Description	Info	€	□	□
							
		45PK01AO	Argento opaco Matt silver		1	25	
		45PK01BB	Bianco Banquise Banquise white		1	25	
		45PK01BP	Bianco Elanc Elanc white		1	25	
		45PK01CHO	Champagne opaco Champagne		1	25	
		45PK01CR	Cromo Chrome		1	25	
		45PK01GSM	Grigio scuro metallizzato Metallic dark grey		1	25	
		45PK01OT	Ottone Brass		1	25	

Armatura da utilizzare  
To be used with

45361K

3 MOD. / 3 GANG		Code	Description	Info	€	□	□
							
		45PK03AO	Argento opaco Matt silver		1	25	
		45PK03BB	Bianco Banquise Banquise white		1	25	
		45PK03BP	Bianco Elanc Elanc white		1	25	
		45PK03CHO	Champagne opaco Champagne		1	25	
		45PK03CR	Cromo Chrome		1	25	
		45PK03GSM	Grigio scuro metallizzato Metallic dark grey		1	25	
		45PK03OT	Ottone Brass		1	25	

Armatura da utilizzare  
To be used with

45363K

4 MOD. / 4 GANG



Armatura  
da utilizzare  
To be  
used with

45764

Code	Description	Info	€	<input type="checkbox"/>	<input type="checkbox"/>
45PK04A0	Argento opaco Matt silver		1	20	
45PK04BB	Bianco Banquise Banquise white		1	20	
45PK04BP	Bianco Elanc Elanc white		1	20	
45PK04CHO	Champagne opaco Champagne		1	25	
45PK04CR	Cromo Chrome		1	20	
45PK04GSM	Grigio scuro metallizzato Metallic dark grey		1	20	
45PK040T	Ottone Brass		1	20	

## Placche in tecnopolimero per presa singola

MOULDED SINGLE SWITCHED SOCKET FRONT PLATES



Code	Description	Info	€	<input type="checkbox"/>	<input type="checkbox"/>
45PK02AOM	Argento opaco Matt silver		1	25	
45PK02BBM	Bianco Banquise Banquise white		1	25	
45PK02BPM	Bianco Elanc Elanc white		1	25	
45PK02CHOM	Champagne opaco Champagne		1	25	
45PK02CRM	Cromo Chrome		1	25	
45PK02GSMM	Grigio scuro metallizzato Metallic dark grey		1	25	
45PK020TM	Ottone Brass		1	25	

## Placche in tecnopolimero per presa doppia

MOULDED TWIN SWITCHED SOCKET FRONT PLATES



Code	Description	Info	€	<input type="checkbox"/>	<input type="checkbox"/>
45PK04AOM	Argento opaco Matt silver		1	20	
45PK04BBM	Bianco Banquise Banquise white		1	20	
45PK04BPM	Bianco Elanc Elanc white		1	20	
45PK04CHOM	Champagne opaco Champagne		1	20	
45PK04CRM	Cromo Chrome		1	20	
45PK04GSMM	Grigio scuro metallizzato Metallic dark grey		1	20	
45PK040TM	Ottone Brass		1	20	