



# Knürr® IT Special Catalog

Networks & Data Centers



A division of the Emerson Group, **Emerson Network Power**, is a global company that combines technology and design to offer their customers innovative and effective solutions.

Emerson Network Power protects and optimizes infrastructures for data centers, communication networks, the health sector and industrial systems.

With its comprehensive technology base and global know-how, Emerson Network Power supports a broad range of company-level solutions that constitute one of the most important requirements for today's business.




No company, irrespective of its size, can afford a failure of its critical business systems or time losses incurred when IT infrastructures have to be restored following a downtime.

Leave the work to us: we are experts for all types of systems, from the supply network to the chip, and can deliver tailored solutions for both very large and small data centers.

High-level standardization ensuring that the installation won't cost you any extra. Our solutions are user-friendly: You needn't be an expert to find the best option for your company. Furthermore, we offer comprehensive support so that you have full protection while you go about your business.



Emerson Network Power endorses  
the European Code of Conduct  
for Energy Efficiency in Data Center.



## *Emerson Network Power – For greater Energy Efficiency in your IT Environment*

Really reliable availability of business-critical networks requires a network infrastructure installation you can fully depend on, administration and continuous support.

This in turn depends on the power supply and cooling infrastructure supporting these systems and is based on the following key components:

- ***Business-critical power supply***
- ***Business-critical cooling***
- ***Rack and enclosure systems***
- ***Monitoring and management***
- ***Proactive maintenance***

Emerson Network Power has developed new power-supply-, cooling-, rack- and enclosure systems, as well as monitoring solutions which further support uninterrupted availability – and offer real added value that goes well beyond the sum of the individual solutions.

With our solutions we provide unsurpassed adaptability, individualization and the ability to integrate into the most diverse products and services.

We acquire extensive knowledge of the challenges you face and are in a position to meet your requirements.

Our exceptionally reliable and comprehensive solutions are tailored to your requirements – thereby providing the benefit of optimized strategic and operational efficiency enhanced reliability, higher flexibility and lower overall operating costs.

Drawing on the combined use of our knowledge, our experience and our resources, we deliver a demand-driven solution from a single source.

The result: an infrastructure that stays abreast of current and future requirements.



Ensuring high availability of  
mission-critical data and applications.

#### About Emerson Network Power

Emerson Network Power, a business of Emerson (NYSE:EMR), is the world's leading provider of critical infrastructure technologies and life cycle services for information and communications technology systems. With an expansive portfolio of intelligent, rapidly deployable hardware and software solutions for power, thermal and infrastructure management, Emerson Network Power enables efficient, highly-available networks. Learn more at [www.EmersonNetworkPower.com](http://www.EmersonNetworkPower.com)

#### Sites

##### Emerson Network Power

Global Headquarters  
1050 Dearborn Drive  
P.O. Box 29186  
Columbus, OH 43229, USA  
T +1 614 8880246

##### Emerson Network Power Europe Middle East And Africa

Mariakirchener Straße 38  
94424 Arnstorf  
Germany  
T +49 8723 27 0  
F +49 8723 27 154  
[knuerr@emerson.com](mailto:knuerr@emerson.com)

##### Emerson Network Power United Kingdom

George Curl Way  
Southampton  
SO18 2RY, UK  
T +44 (0)23 8061 0311  
F +44(0)23 8061 0852  
[UK.Enquiries@Emerson.com](mailto:UK.Enquiries@Emerson.com)

Although all appropriate care was taken to ensure that the information in this brochure is correct and complete, Emerson does not accept responsibility for its contents and rejects any claims for liability for damages occurring as a result of use of the printed information, nor does it accept responsibility for errors or omissions. Technical data may change without prior notice.

1101.150.110

MKA4CATOUKIT

[EmersonNetworkPower.eu](http://EmersonNetworkPower.eu)

Visit our website for more  
contact details in EMEA:  
[www.EmersonNetworkPower.eu](http://www.EmersonNetworkPower.eu)

Follow us on:



Emerson, Consider it Solved, LIFE, Trellis, Emerson Network Power and the Emerson Network Power logo are registered trademarks or service marks of Emerson Electric Co. or of one of its affiliated companies. ©2016 Emerson Electric Co. All rights reserved.

EMERSON. CONSIDER IT SOLVED.™

# Table of Contents

<b>Mechanics – Racks</b>	Page 4	Knürr DCM®
	Page 26	Knürr Miracel® 2
	Page 48	Knürr Miracel® Server Rack
	Page 61	Knürr Miracel® Network Rack
<b>Accessories</b>	Page 84	Knürr @lock systems
	Page 91	Knürr Cable Management
	Page 114	Knürr System Accessories
	Page 134	Knürr Fan Units
<b>Mechanics – Enclosure</b>	Page 148	Knürr Smaract®
	Page 164	Knürr DoubleProRack®
	Page 171	Knürr ConAct®
<b>SmartAisle™ – Containment</b>	Page 176	SmartAisle™ – Containment
	Page 194	SwitchTubes™
<b>Cooling HDCS</b>	Page 201	Cooling HDCS
	Page 202	Knürr® DCL
	Page 208	Knürr® DCD
	Page 213	Rack cooling accessories
<b>Power Distribution Rack</b>	Page 216	Knürr PowerTrans2®
<b>Rack PDUs</b>	Page 220	Emerson Network Power – Power Distribution Units
	Page 222	MPX™
	Page 232	MPH2™
	Page 244	MPE
	Page 248	DI-STRIP®
<b>Monitoring</b>	Page 271	Knürr RMS Compact II®
	Page 276	Inline Metering System
<b>Emerson Network Power</b>	Page 282	Glossary
	Page 283	Centers of Expertise
	Page 284	Data Center Infrastructure for Large Applications



## Glossary

### Adaptive Architecture

#### Liebert Adaptive Architecture™

The Liebert Adaptive Architecture product and technology family distinguishes itself by delivering an ideal balance between minimal TCO and optimal availability.

#### Open Architecture/ Closed Architecture

**Open architecture** utilizes cooling coils and the room's air volume as thermal storage to guarantee continuity in the event of power failures.

**Closed architecture** means that the rack is entirely closed off. The cooling coils are inside the enclosure. Other provisions must be made to bridge power failures.

#### Redundancy

Measure of a system's failure tolerance and the extent to which maintenance work can be performed on a product in operation without function loss.

- Systems without redundancy can fail as soon as one single component fails; or cannot be operated during maintenance work.
- Redundancy is achieved with the parallel setup of the same components, of which at least one of these is not required for the system to achieve 100 % functionality. Such a setup means that even the failure of important components or planned maintenance work will not impair the product's continuous operation. Redundancy concepts can therefore deliver very high system availability levels.
- The highest level of redundancy is attained with the installation of two independent systems whose incoming and outgoing lines are also separated. Preventive maintenance work or component faults do not impair the system's performance because the second system can take over the entire desired functionality at any time.

### Industry Terms and Phrases

#### Availability

Availability is achieved through proven technology or a system that minimizes malfunction risks and downtimes of your IT system.

#### Flexibility

"Flexible" products and systems that can be reconfigured or extended to meet the requirements of new technologies, provide even more protection, or meet the requirements of corporate growth or business changes.

#### Total Cost Of Ownership

All operating costs (TCO) of a solution, including purchase, future changes and maintenance.

### Power Supply

#### Power supply; three-phase (EMEA)

A three-phase power circuit has three conductors, an earth connection, and in most cases, a neutral conductor. Typical voltages for such power circuits are 380 V, 400 V and 415 V.

#### Power supply; single-phase (EMEA)

Single-phase power circuits have two cables and an earth connection. Typical voltages are 220 V, 230 V and 240 V.

#### Power density

More power. More heat generation. Less space. Since the performance of processors is constantly growing but the amount of space available is decreasing, power density rises (from less than 50 to more than 300 watt per m<sup>2</sup>). This generates far more heat, resulting in hot spots that can occur in your data center.

#### UPS types:

##### Online and Line Interactive

An online UPS is used to back up critical applications and guarantee a continuous, uninterrupted power supply. Frequency and wave form are also regulated. A line-interactive UPS prevents voltage peaks and inadmissible power-supply parameters. This energy-efficient technology regulates the power supply and the battery backup system which is especially ideal for installations that rarely suffer power failures, but frequently suffer supply fluctuations.

#### Battery capacity

The percentage power capacity of your batteries, depending on their age, usage period, environment, ambient temperature and maintenance status. A normal VRLA battery can achieve 80 % and has to be replaced after 3-5 years.

#### Battery runtime

The time (in minutes) in which your batteries provide power supply and protect your information in the event of a power or system failure.

#### kW

Standard measurement unit for electrical power. 1 kW is 1,000 W or power consumption of 1,000 joules per second. (1 joule is the required energy it takes to heat 1 kg of water by 1°C.)

### Cooling

#### Back cooling

Absorbs the heat generated by air-cooled condensers and dry coolers for all ambient temperatures or heights. Hot air or hot water is drawn off; water is cooled and recirculated.

#### Precision cooling

The precise controlling and regulation of temperatures, moisture or air filtering.

#### Hot Aisle / Cold Aisle

A highly efficient method of improving performance with existing raised floor systems with high-density rack-based installations. The racks and frames are set up to create "hot" and "cold aisles". Perforated bottom covers from which the raised floor's cool air flows are only placed in the cold aisles.

#### Sensible heat

"Sensible" or "tangible" heat can be directly sensed or measured. Sensible heat changes a material's temperature. Essentially, it provides information on temperature, comparable to that of a weather forecast. Sensible heat is measured with a thermometer. Servers, for example, emit solely sensible heat.

#### Latent heat

"Latent heat" is the heat energy that goes into a material's state change. During a thermally managed cooling process, latent heat is diverted into the air by vapor condensation when the air is cooled below dew point (dehumidification). Latent heat discharge does not have any effect on the temperature you feel.

#### Total heat

Total heat is composed of the heat content of the air (sensible heat) and the water-vapor mixture (latent heat). It is crucial for the thermal device's nominal power.

#### BTU

BTU is a heat energy unit. It is the amount of heat required to raise the temperature of 1 British pound of water by 1 degree Fahrenheit (at sea level). One ton of cooling power is equal to 12,000 BTU/hour.

#### Ton

A ton, in relation to cooling systems, is the amount of heat required to melt 1 ton of ice in 24 hours. A ton is equal to 12,000 BTU/hour or 3,025,900 calories/hour.



## ■ AC Power

Sustaining critical operations that simply can't go down. We deliver a full range of uninterruptible power systems plus STS devices, providing everything from individual products to integrated power protection solutions that keep network closets, computer rooms and data centers up and running.

## ■ DC Power

Supporting voice and communication networks through reliable and efficient DC power. The extensive DC power portfolio includes a wide range of -48 V and 400 V DC systems; from sub-racks to large stand-alone systems. Improved reliability, increased energy efficiency and load balancing is enabled through the Intelligent Load Management functionality (patent pending).

## ■ Infrastructure Management & Monitoring

Managing and monitoring critical environments at multiple sites around the clock. We make it easy in today's ROI-driven business environment, with comprehensive infrastructure management and monitoring systems for both IT and facilities. Solutions and services that provide continuous oversight of data centers, computer rooms and network closets, as well as wireless, wireline and enterprise telecom applications.

## ■ Power Switching & Controls

Safeguarding facilities from operational disruption due to electrical power interruption. We provide ASCO® power-transfer switches, generator paralleling switchgear/power control systems, and touch screen SCADA for monitoring and control of the utility service and on-site backup power generators; all helping to ensure continuity of supply to essential and mission-critical communications, data-processing, life-safety, and other critical loads. Backed by the largest manufacturers, direct field based project management and service technicians in the industry.

## ■ Thermal Management

Managing the heat transferred from the data center to the external environment, while assuring the right temperature and airflow for each server. The Thermal Management range of Liebert® solutions answers to all different customer needs and applications, adopting state-of-the-art technologies to achieve the highest efficiency while minimizing energy costs.

## ■ Racks & Integrated Solutions

Optimizing technology and performance needs for indoor IT applications. We deliver standard and customized integrated cabinet solutions that meet unique and specific needs, from Knürr® and Liebert® rack solutions for computer rooms of all sizes to integrated racks with self-contained cooling, UPS and cable management in a solid, lockable cabinet.

## ■ Surge Protection

Defending power, voice and data moving through a network against grid irregularities and dangerous electrical disturbances. Depending on the application, we offer Liebert® and PowerSure™ AC Power Protection, Islatrol™ Active Tracking Filters and Edco™ data/signal surge protective devices; all of which provide power protection to reduce downtime, saving crucial man-hours and extending equipment life.

## ■ Service and Solutions

Delivering assessment, testing and reliability programs backed by the largest global services organization in the industry. We offer engineering, installation, startup services, project management and training together with entire life-cycle management including preventive and predictive maintenance, remote diagnostics, on-site operations management, and energy consumption monitoring.

## Centers of Expertise

When you partner with Emerson Network Power for your business continuity needs across your enterprise, you benefit from more than products to support and protect your technology infrastructure.

Developing such a wide range of technologies gives us in-depth industry knowledge and a “big-picture” understanding of how all systems must work together within any critical environment. We deliver this knowledge through Emerson Network Power's Centers of Expertise: distinct areas of world-class products and services that help you determine what you need and where, depending on your application.

All so that you can keep your business moving forward for your customers.

# Emerson Network Power


## Data Center Infrastructure for Large Applications



- SmartAisle™**
- Aisle containment.
  - Provides highest energy efficiency.
  - Control compatible with Thermal Management units.




- Knürr® Power Distribution Rack**
- Central connection unit for power supplies in individual server racks.
- Interface between the low voltage feed and PDU.
  - Individual plug-in units.
  - Up to 346 kVA/Rack.



- Rack PDU**
- Rack-based power distribution units.
- Supports strip-level metering, outlet-level switching and outlet-level metering/switching for remote power management and control.
  - Horizontal and vertical models designed for a variety of rack configurations in branch and remote offices.

- |   |                                     |                                       |                   |
|---|-------------------------------------|---------------------------------------|-------------------|
| <b>1</b> AC Power                               | <b>3</b> Power Switching & Controls | <b>5</b> Racks & Integrated Solutions | <b>7</b> DC Power |
| <b>2</b> Infrastructure Management & Monitoring | <b>4</b> Thermal Management         | <b>6</b> Surge Protection             |                   |





- **Knürr® DCD**  
Passive chilled water heat exchanger.
- Cooling capacity up to 35 kW.
  - "Room-neutral" design.
  - Usable for third party racks.



- **Knürr Miracel®/Knürr® DCM**  
Global rack platform for data centers, networks and telecommunications.
- Lightweight aluminum frame.
  - T-slot system.
  - Simple cable management.
  - Holds up to 1,500 kg.
  - Also available with @lock (electronic locking solutions).

## Service

Emerson Network Power supports entire critical infrastructures with the largest global service organization and an extensive service offering, enhancing network availability and ensuring total peace of mind 24/7. Our approach to servicing critical infrastructure covers all aspects of availability and performance: from single power and thermal management equipment to entire mission-critical systems.

The most comprehensive insurance for business protection can be obtained with a service program from Emerson Network Power which includes access to LIFE™.



## LIFE™

LIFE provides remote diagnostics and preventive monitoring service for UPS and thermal management equipment. LIFE delivers increased uptime and operational efficiency by enabling continuous monitoring of your equipment, expert data analysis and field engineering expertise. Through the data transferred from your equipment via LIFE, our remote service experts gain the real-time insight and information needed to quickly identify, diagnose, and resolve any irregularities that may arise in operation, ultimately taking responsibility for your critical assets 24/7.

