

100%

SHARK is as robust, functional and ergonomic as its natural counterpart.

- After installation, industrial plugs and sockets must be robust, reliable and have a long lifespan. Every part and component of the SHARK product series is therefore designed with all of these characteristics even under the harshest operating conditions.
- Furthermore, they are designed to set new standards of ergonomics and handling.

SHARK tackles its tasks as fast and safely as its natural counterpart.

- The first concern of industrial plugs and sockets is that they must be safe and reliable in function. The second one is speed and it is exactly for that reason that all versions of the SHARK series have been developed and manufactured to stringent safety and quality standards.
- Moreover, they are so cutting edge that they can be safely mounted and applied at high speed.

A genuine SHARK is as adaptable and flexible as its natural counterpart.

- Industrial plugs and sockets showed be extremely flexible to install and apply. The SHARK series has been designed and developed for user friendliness and versatility.
- Plus it was developed in a way which has eventually lead to another benchmark product originating from PCE.

PCE

Connection
to the future



Группа ICS
Центр дистрибуции

Москва
+7 (495) 720-49-00, +7 (495) 720-49-08
ics@icsgroup.ru
www.icsgroup.ru

Санкт-Петербург
+7 (812) 337-10-87, +7 (812) 337-56-32
baltica@icsgroup.ru
www.icsbaltica.ru

Розничный магазин
Бакунинская, д.74, +7 (495) 720-49-05
www.icsmarket.ru



Vers. 03/2012

chamaeleon.at

PCE

Connection
to the future



SHARK

Industrial Plugs and Sockets

INDUSTRIAL PLUGS AND SOCKETS SERIES SHARK

The shark is the measure of all things in his territory.
**This is why we have chosen
the name SHARK.**

The SHARK series

is state-of-the-art in power distribution: extremely robust in design, fine-mechanically and ergonomically designed and is available in 16 and 32 Amp with 3, 4 and 5 pole versions.

Shark is designed to meet all application requirements at 100% – connecting one live cable with another in order to supply machines or electrical installations on construction sites of any size and in industrial plants with energy.

It sounds so simple, yet in fact it's a high-tech task in which almost all eventualities have to be considered. Strain relief, speed, ergonomics, safety, temperature fluctuations or weather influences are just some of the basic parameters which have been kept in mind.

PCE can assure you that any single SHARK is a genuine Austrian high-quality product, from the granules to the smallest screw.
We highly recommend it for just these reasons.

MADE IN AUSTRIA

SHARK OVERVIEW



SHARK Plug
• with screw terminal
• housing material: PA6
• contacts: brass/to order nickel-plated contacts
please add a "v" e-g. 015-6v
IP44 splashproof



TURBO SHARK Plug
• screwless connection technology
• housing material: PA6
• contacts: brass/to order nickel-plated contacts
please add a "v" e-g. 015-6TTv
IP44 splashproof



SHARK Phase Inverter Plug
• with screw terminal
• housing material: PA6
• nickel-plated contacts
IP44 splashproof



SHARK Connector
• with screw terminal
• housing material: PA6
• contacts: brass/to order nickel-plated contacts
please add a "v" e-g. 215-6v
IP44 splashproof



TURBO SHARK Connector
• screwless connection technology
• housing material: PA6
• contacts: brass/to order nickel-plated contacts
please add a "v" e-g. 215-6TTv
IP44 splashproof

		Cat. no.		
Amp.	Poles	110V~ 50/60 Hz 4h	230V~ 50/60 Hz 3p=6h 4p+5p=9h	400V~ 50/60 Hz 3p=9h 5p=6h
16	3	013-4	013-6	013-9
16	4	014-4	014-9	014-6
16	5	015-4	015-9	015-6
32	3	023-4	023-6	023-9
32	4	024-4	024-9	024-6
32	5	025-4	025-9	025-6
16	3	013-4TT	013-6TT	013-9TT
16	4	014-4TT	014-9TT	014-6TT
16	5	015-4TT	015-9TT	015-6TT
32	3	023-4TT	023-6TT	023-9TT
32	4	024-4TT	024-9TT	024-6TT
32	5	025-4TT	025-9TT	025-6TT
16	4		7014-9	7014-6
16	5			7015-6
32	4		7024-9	7024-6
32	5			7025-6
16	3	213-4	213-6	213-9
16	4	214-4	214-9	214-6
16	5	215-5	215-9	215-6
32	3	223-4	223-6	223-9
32	4	224-4	224-9	224-6
32	5	225-4	225-9	225-6
16	3	213-4TT	213-6TT	213-9TT
16	4	214-4TT	214-9TT	214-6TT
16	5	215-4TT	215-9TT	215-6TT
32	3	223-4TT	223-6TT	223-9TT
32	4	224-4TT	224-9TT	224-6TT
32	5	225-4TT	225-9TT	225-6TT

– 100% –
**SAFETY
ERGONOMICS
FLEXIBILITY**
- - - - -

