

ACCESSORY BOXES AND ENCLOSURES

Surface and flush accessory boxes and enclosures are manufactured from super high impact PVC-U.




Standard fixed accessory boxes without knockouts for surface installation.

Product information

- 1 gang 87 x 87mm (external dimension)
- 2 gang 87 x 147mm
- M3.5 brass inserts
- Can be cut and drilled without the risk of shattering
- Boxes comply with BS 4662:2006+A1:2009
- Radius and square corner variants

Standard Colour
WH
WH: White



Square corners



1 gang accessory box square corners

code	depth	pack
MSSB10WH	32mm	20
MSSB17WH	44mm	10



2 gang accessory box square corners

code	depth	pack
MSSB11WH	32mm	10
MSSB23WH	44mm	5

Radius corners



1 gang accessory box radius corners

code	depth	pack
MSSB26WH	19mm	20
MSSB19WH	32mm	20
MSSB40WH	44mm	10



2 gang accessory box radius corners

code	depth	pack
MSSB21WH	32mm	10
MSSB41WH	44mm	5



Dual gang accessory box

code	depth	pack
MSSB81WH	32mm	10

Cover plates



Cover plate – flat

code	description	pack
MSCP2WH	1 gang	20
MSCP3WH	2 gang	10

Depth 2mm



Raised cover plate – raised

code	description	pack
MSSP10WH	1 gang	10
MSSP20WH	2 gang	2

Depth 9mm

p310

Technical
Information

Flush mounted boxes for use within stud walls for alleviating the necessity of using noggins. Boxes feature a wide securing flange around the outer rim.

Product information

- Wide securing flange to prevent box passing through cavity
- Swivelling snap out clamps will tightly grip a range of standard thickness building boards
- Earth terminal provision incorporated
- British Patent Application No. 8208041

Standard Colour
WH
WH: White

Snap out clamps with size identification by colour:

Wall thickness adjustment	Clamp colour
1 - 9mm	Grey
6 - 14mm	White
18 - 25mm	Green
9 - 26mm	Black



Wide securing flanges

Standard

**1 gang****34mm internal depth**

code	adjustment	pack
MDLB3WH	1-9mm	20
MDLB1WH	6-14mm	20
MDLB7WH	18-25mm	20

2 gang**34mm internal depth**

code	adjustment	pack
MDLB4WH	1-9mm	10
MDLB2WH	6-14mm	10
MDLB8WH	18-25mm	10

Dual gang**34mm internal depth**

code	adjustment	pack
MDLB20WH	1-9mm	5
MDLB22WH	6-14mm	5
MDLB24WH	18-25mm	5

Shallow

**1 gang****25mm internal depth**

code	adjustment	pack
MDLB13WH	1-9mm	10

2 gang**25mm internal depth**

code	adjustment	pack
MDLB14WH	1-9mm	10

FIRE SECURITY**Intumescent fire barrier pads**

Fire Barrier Pads are now a requirement of Document B of the UK Building Regulations. For information on Fire Barrier Pads please refer to page 235 in our Fire and Security section or contact our Technical Team on +44 (0)1424 856688.



Deep

**1 gang****46mm internal depth**

code	adjustment	pack
MDLB29WH	9-26mm	10

2 gang**46mm internal depth**

code	adjustment	pack
MDLB30WH	9-26mm	5

Accessories

**Brass earthing terminal**

code	Rating	pack
MET1	15 Amp	100

**Acoustic hoods**

code	description	pack
MDLA1	1 gang	10
MDLA2	2 gang	10

Circular flush mounted boxes

Product information

- Wide securing flange to prevent box passing through cavity
- For board thickness from 9 to 32mm measured from the face of the board
- Swivelling snap out clamps fix the box firmly into position (screws provided)

Standard Colour
WH
WH: White

Colour options: Other colours are available but may be subject to minimum order quantities and longer lead times. For further information please contact the Technical Team on +44 (0)1424 856688.



Wide securing flanges

FIRE SECURITY

Intumescent fire barrier pads

Fire Barrier Pads are now a requirement of Document B of the UK Building Regulations. For information on Fire Barrier Pads please refer to page 235 in our Fire and Security section or contact our Technical Team on +44 (0)1424 856688.



Dry lining boxes


**Double back entry - loop in
34mm internal depth (red clamps)**

code	fix. centre	pack
MDCRB2WH	50.8/60.3mm	10

Ø cut out = 70mm

Moulded enclosures

Product information

- Degree of protection IP66.
- Raised pads in base of box to allow accessory mounting nuts to be recessed.
- Silicon rubber lid seal supplied as standard.
- Brass inserts M3.5 with stainless countersunk fixing screws.
- Suitable for drilling or cutting.
- Raised flat lid for strength.



Moulded enclosure unit (Adaptable box)

code	external size	pack
MTAB75AWH	81 x 81 x 67mm	10
MTAB100AWH	106 x 106 x 67mm	10
MTAB150BWH	155 x 155 x 92mm	4

Also available in black

Earth rod box

Product information

- Protects connection to earth rod.
- Earth rod/cable entry ø7-10.5mm.


**Earth rod box
Green only**

code	external size	pack
MECB75GN	81 x 81 x 67mm	10
MECB100GN	106 x 106 x 67mm	10

p310

**Technical
Information**