

Chairs

Ergonomic chairs for efficient working



Chairs

Control Station Chairs

Secur 24 Basic	2
Axia Focus 24/7	3
AXIA Plus 24/7	3
24/7 RecaroGuard L	4
24/7 Save Three	4
Mr. 24	5
Black dot 24h	5

black dot Cantilever

Chair Product Line	6
--------------------	---

black dot net

Chair Product Line	6
--------------------	---

Sit/Stand Chair Smile

Chair Product Line	6
--------------------	---

Yeah

Chair Product Line	7
--------------------	---

Control Room Chair Secur 24 Basic 24/7, head rest, Flip-Up arm rests, heavy duty

- Comfortable automotive seat
- Maximum load: up to 234 kg (515lbs.)
- Height adjustable and tiltable comfort head rest, Protective cover included
- Mechanical lumbar support
- Flip-Up arm rests – Tilttable and fold away
- Compressed gas main spring with end point cushion
- Seating height ambidextrously adjustable 41 – 53 cm
- Extra large 71 cm anti tip cast aluminium castor base
- 65 mm (2,55“) heavy duty castors
- Specially designed tilting mechanism, adjustable below front edge of the seat 45 – 150 kg (99-331 lbs.)
- Combination of black automotive synthetic leather and „Staccato“ fabric (black) 1.5 mio. cycles (Martindale)
- Easily adjustably grace to fully ambidextrous controls
- Ambidextrous back rest adjustment knob and maximum lean back angle

■ Dimensions

- Seat width 510 mm
- Max. seat depth 480 mm
- Back rest width 480mm
- Back rest height 600mm

■ Material

Fabric: „Staccato“ (black)
 Black automotive synthetic leather
 1.5 mio. cycles (Martindale)
 Castor base: Polished cast metal

■ Colour

- Fabric: black
 - Castor base: Polished cast metal

■ Supply schedule

1 control room chair

■ How supplied

Preassembled

■ Please note:

Many other configurations available on request:

- Hard castors for carpet surfaces
- Further fabric or leather paddings on request
- Protective cover for head rest
- 6-way comfort head rest
- 10 cm sliding seat
- All leather
- Siped back rest
- Chrome plated coat hanger

Model	Description	Order no.	UP
Secur 24 Basic	With Flip-up arm rests	00.350.078.9	1 unit





Control Room Chair AXIA Plus 24/7 24/7, head rest, arm rest, clip-on padding

- For 24/7 use in control and surveillance rooms and emergency centers
- Maximum load: up to 170kg (375 lbs.)
- Seating depth ambidextrously adjustable 38 - 48 cm
- Height of back rest adjustable by 6 cm
- Seating height ambidextrously adjustable 39 - 52 cm
- Load Adjustment 40-150 kg (88 – 330lbs.) below front edge of the seat
- Height of arm rests adjustable 20 – 31 cm
- Fabric „Staccato“ (black) 1.5 mio. cycles (Martindale)
- Adjustable head rest, protective cover included
- Axia 24/7 features a back rest that tilts synchronously to the seating for best pelvic support while maintaining the angle between seat and back rest
- Easily adjustable head rest for extra head support when working with multi story monitor setups
- Arm rests move with the seat in order to give full support also when leaning back

■ Dimensions

- Seat width 515 mm
- Max. seat depth 485 mm
- Back rest width 485 mm
- Back rest height 510 mm

■ Material

- Fabric: „Staccato“ (black) 1.5 mio. cycles (Martindale)

■ Colour

- Fabric: black
- Castor base: Polished cast metal

■ Supply schedule

- 1 control room chair

■ How supplied

- Preassembled

■ Please note:

- Many other configurations available on request:
- Hard castors for carpet surfaces
- Further fabric or leather paddings on request
- All leather
- Additional pneumatic lumbar support
- Extra large multi arm rests in black leather

Model	Description	Order no.	UP
AXIA Plus 24/7	With arm rests	00.350.079.9	1 unit



Control room chair Axia Focus 24/7 24/7, head rest, Flip-Up arm rests, heavy duty

- For 24/7 use in control and surveillance rooms and emergency centers
- Maximum load: up to 234 kg (515lbs.)
- Seating depth ambidextrously adjustable 38 - 48 cm
- Seating height ambidextrously adjustable 39 - 52 cm
- Load Adjustment 40-150 kg (88 – 330lbs.) below front edge of the seat
- Flip-Up arm rests – Tiltable and fold away
- Combination of black leather and fabric „Staccato“ (black) 1.5 mio. cycles (Martindale)
- Adjustable head rest, protective cover included
- Focus 24/7 features a back rest that tilts synchronously to the seating for best pelvic support while maintaining the angle between seat and back rest
- Easily adjustable head rest for extra head support when working with multi story monitor setups
- Back rest with integrated central lumbar support

■ Material

- Fabric: „Staccato“ (black) Black leather 1.5 mio. cycles (Martindale)

■ Colour

- Fabric: black
- Castor base: Polished cast metal

■ Supply schedule

- 1 control room chair

■ How supplied

- Preassembled

■ Please note:

- Many other configurations available on request:
- Hard castors for carpet surfaces
- Further fabric or leather paddings on request
- All leather
- Extra large multi arm rests in black leather
- Protective side padding to prevent wear caused by holstered sidearm

- ### ■ Dimensions
- Seat width 505mm
 - Max. seat depth 485 mm
 - Back rest width 425mm
 - Back rest height 705mm

Model	Description	Order no.	UP
AXIA Focus 24/7	With Flip-up arm rests	00.350.060.9	1 unit

Dimensions in mm: W= Width
H = Height
D = Depth
h = Installation height
d = Useful depth
L = Length

HU = Standard height unit, 1 HU = 44.45 mm
19" = 482.6 mm, (ideal for 19" components in acc. with DIN 41494)
UP = Unit of packaging
kg = Weight

Conversion: 1 inch = 25,4 mm
1 pound = 453,6 g

Replace „x“ with the number of your color choice



Control Room Chair – Swivel Chair 24/7 RECARO Guard L

- For 24/7 use in Control and Surveillance Rooms, Emergency Centers and ATC/ATM
- Height adjustable and tiltable head rest
- Double chamber lumbar support
- Frame and padding made from heavy duty materials
- Tilttable flip-up arm rests
- Tested for maximum load
- Ambidextrous handle for backrest angle
- Ergonomic padding for maximum seating comfort
- Heavy duty Free Tilt mechanism, lockable in 3 positions
- Individually adjustable to user weight (ca. 60 - 130 kg / 130 – 285 lbs.)
- Extra strong gas spring for height adjustment
- Extra large castor base for best stability
- Adjustable thigh support
- Soft castors for hard surfaces
- GS certified
- British Standard

- Width and depth of seat 550 x 560 mm
- Width and depth of arm rests 74 x 324 mm
- Height adjustment of headrest 0 – 80 mm
- Tilting of headrest 0 – 35°

- Material**
Seat and backrest: Faux leather
- Colour**
Fabric / leather: Black
Castor base: Polished aluminium
- Supply schedule**
1 Control Room Swivel Chair 24/7 RECARO Guard L
1 Protective Cover for head rest
- How supplied**
Assembled
- Please note:**
- Hard castors for carpet surfaces available

- Technical Data**
- Width and height of backrest 520 x 620 mm

Model	Order no.	UP
Control Room Chair 24/7 RECARO Guard L	00.350.072.1	1 unit



Control Room Chair – Swivel Chair 24/7 Save Three

- For 24/7 use in Control and Surveillance Rooms, Emergency Centers and ATC/ATM
- Comfortable ergonomic padding
- Full leather lateral flanges, breathing and moisture regulating fabric center liner
- Height adjustable and tiltable head rest
- Backrest adjustable 0°-16°
- Heavy duty, lockable Free Tilt mechanism
- Individual adjustment to user weight
- Extra large castor base for best stability
- Extra strong gas spring for height adjustment
- Gas main spring with end point cushioning
- Allows for dynamic as well as steady seating
- 10 cm (4") wide tiltable flip-up arm rests
- Inflatable lumbar support in the lower back area
- Soft castors for hard surfaces

- Width and depth of seat 520 x 520 mm
- Width and height of headrest 280 x 170 mm
- Width and depth of arm rests 80 x 350 mm

- Material**
Seat and backrest: Leather Fabric Camira
- Colour**
Fabric / leather: Black
Castor base: Polished aluminium
- Supply schedule**
1 Control Room Chair Save three
1 Protective Cover for head rest
- How supplied**
Assembled
- Please note:**
- Hard castors for carpet surfaces available

- Technical Data**
- Width and height of backrest 490 x 650 mm

Model	Order no.	UP
Control Room Chair 24/7 Save Three	00.350.070.1	1 unit

Dimensions in mm: W= Width
 H = Height
 D = Depth
 h = Installation height
 d = Useful depth
 L = Length

HU = Standard height unit, 1 HU = 44.45 mm
 19" = 482.6 mm, (ideal for 19" components in acc. with DIN 41494)
 UP = Unit of packaging
 kg = Weight

Conversion: 1 inch = 25,4 mm
 1 pound = 453,6 g

Replace „x“ with the number of your color choice



24/7 Control Room Chair Mr. 24

- Our top selling Control Room Chair
- Generous seat and backrest for maximum comfort
- Long backrest with integrated adjustable lumbar support, Similarmechanic opens up to 32° and stepless adjustment of back leaning angle - Adjustable sliding seat allows for adaption to individual leg length
- Height adjustable black leather head rest
- Seat and back rest tilt synchronously to body movement
- Individual main spring adjustment for different user weights
- Permanent dorsal support also when leaning all the way back
- Sedo-Lift-Mechanic for best cushioning also in lowest seating position
- Extra robust arm rest for 24/7 use
- Soft castors for hard surfaces
- GS approved
- British Standard approved
- Seating width and depth: 470 x 400 mm
- Height adjustment of head rest: 50 mm
- Neck rest width and height: 360 x 150 mm
- Similarmechanic suitable for up to persons of up to 200 kg / 440lbs.
- Max. back rest tilt: 32°
- Seat height adjustment: 420 – 515 mm
- Arm rest height adjustment: 190 – 300 mm
- Arm rest width adjustment: 2 x 50 mm
- Arm rest depth adjustment: 80 mm

Material

- Set 2G8 black 72%CraduraTM, 16% new wool, 12% Cellulose
- 150.000 cycles (Martindale)
- DIN EN 1021-1/2

Colour

- Fabric: black
- Castor base: black

Supply schedule

1 Control Room Chair

How supplied

Pre assembled

Please note:

- Hard castors for carpet surfaces available
- Many other configurations available on request

Model	Order no.	UP
Mr. 24h, black fabric, armrests, head rest	00.350.073.9	1 unit
Protective cover for head rest	00.350.074.9	1 unit



24/7 Control Room chair black dot 24h

- Proven Control Room Chair for dynamic seating
- Suitable for users up to 150 kg / 325lbs.
- Similarmechanic with heavy duty springs
- Integrated sliding seat (seat depth adjustable 400 to 460 mm)
- Comfortable, reinforced seat padding, Seating width max. 495 mm
- Height adjustable lumbar support
- Sedo-Lift-Mechanic (390 to 520 mm seat height),
- Black aluminium cast castor base
- Similarmechanic with adjustable springs
- Sedo-Lift-Mechanic
- Back rest with black net fabric
- 3-D softtouch armrests
- Height adjustable black leather head rest
- Soft castors for hard surfaces

Material

- Set 2G8 black 72%CraduraTM, 16% new wool, 12% Cellulose
- 150.000 cycles (Martindale)
- DIN EN 1021-1/2

Colour

- Fabric: black
- Castor base: black

Supply schedule

1 Control Room Chair

How supplied

Pre assembled

Please note:

- Hard castors for carpet surfaces available
- Many other configurations available on request

Model	Order no.	UP
black dot 24h, black net fabric, arm rests, head rest	00.350.031.9	1 unit



Visitor's chair black dot Cantilever

- Aesthetic visitor's chair for conference rooms and reception areas
- Stackable
- Black cantilever frame
- Robust Ø 25 mm / 1" steel pipe
- Plastic skids
- Plastic arm rests

- Material**
 - Set 2G8 black 72%CraduraTM, 16% new wool, 12% Cellulose
 - 150.000 cycles (Martindale)
 - DIN EN 1021-1/2

- Colour**
 - Fabric: black
 - Cantilever frame: black

- Supply schedule**
 - 1 Visitor's Chair

- How supplied**
 - Pre assembled

- Please note:**
 - Felt skids are available for glossy surfaces
 - Many other configurations available on request

Model	Order no.	UP
black dot Cantilever with armrests, stackable, black	00.350.032.9	1 unit



Swivel chair black dot net, long back rest

- Classic swivel chair with long net fabric back rest. Fits into offices and control rooms
- Stepless adjustable and lockable back rest
- Integrated sliding seat
- Black aluminium cast castor base
- Similarmechanic with adjustable springs
- Compressed gas main spring
- Colour scheme: black
- 3-D softtouch armrests
- Integrated height adjustable lumbal support
- Soft castors for hard surfaces

- Material**
 - Set 2G8 black 72%CraduraTM, 16% new wool, 12% Cellulose
 - 150.000 cycles (Martindale)
 - DIN EN 1021-1/2

- Colour**
 - Fabric: black
 - Castor base: black

- Supply schedule**
 - 1 Swivel Chair

- How supplied**
 - Pre assembled

- Please note:**
 - Hard castors for carpet surfaces available
 - Many other configurations available on request

Model	Order no.	UP
black dot net with arm rests, long back rest, black	00.350.033.9	1 unit



Sit/Stand Chair Smile

Intelligent and compact sit/stand chair. Smile facilitates to work the main part of the day while standing.

- 12-step mechanical height adjustment
- Seating height 650 - 870 mm
- Aluminium locking knob
- Extruded aluminium main stand
- Padded seat
- Folding steel front stand
- Total Weight: 4 kg

- Material**
 - Black microfiber 09L

- Colour**
 - Fabric: black
 - Foot and front stand: black
 - Main stand: aluminium, natural hard anodized

- Supply schedule**
 - 1 Sit/stand chair

- How supplied**
 - Assembled

- Please note:**
 - Other configurations available on request

Model	Order no.	UP
Sit/stand chair Smile, black	00.350.034.9	1 unit

Provided for use with the kind permission of Sedus Stoll AG. Unauthorised use is prohibited.



DAC80001

Yeah

Yeah With/without armrest, optional ESD

- Ergonomic and durable standard chairs for office, control room, electronics workstations and conference room.
- Back rests counter force is smoothly adjustable
- Height adjustable back rest (80mm), lockable in 3 positions
- Durable plastic castor base
- Similarmechanic with quick adjustable springs
- Compressed gas main spring
- 3-D softtouch armrests
- Soft castors for hard surfaces

Colour

Fabric: black
Castor base: black

Supply schedule

1 Control Room Chair

How supplied

Assembled

Please note:

- Hard castors for carpet surfaces available
- Many other configurations available on request

Material

- New wool Fame F60999 black
200.000 cycles (Martindale)
DIN 4102: B2 (normal flammability)
- ESD version:
Gaja Antistatic black 2A1
100% new wool
50.000 cycles (Martindale)
DIN 4102: B2 (normal flammability)



DAC80002

Yeah long back rest

Type	Model	Order no.	UP
Swivel chair Yeah	With arm rests	00.350.040.9	1 unit
Swivel chair Yeah	Without arm rests	00.350.041.9	1 unit
Swivel chair Yeah	With arm rests, ESD	00.350.042.9	1 unit
Swivel chair Yeah	Without arm rests, ESD	00.350.043.9	1 unit
Swivel chair Yeah	With arm rests, long back rest, ESD	00.350.045.9	1 unit
Swivel chair Yeah	With arm rests, long back rest	00.350.046.9	1 unit
Visitor's chair Yeah	Without arm rests, stackable	00.350.047.9	1 unit



DAC80003

Yeah visitor's chair

Provided for use with the kind permission of Sedus Stoll AG.
Unauthorised use is prohibited.

Dimensions in mm: W= Width
H = Height
D = Depth
h = Installation height
d = Useful depth
L = Length

HU = Standard height
unit, 1 HU = 44.45 mm
19" = 482.6 mm,
(ideal for 19" components
in acc. with DIN 41494)
UP = Unit of packaging
kg = Weight

Conversion: 1 inch = 25,4 mm
1 pound = 453,6 g

Replace „x“ with the number of your
color choice

WE PUT SPACE TO WORK. WORLDWIDE

Emerson is based in St. Louis, Missouri (USA), and as a leading technology and development specialist provides globally innovative customer solutions to industry, business and consumer markets in the areas of network power supply, process management, industrial automation and thermal management, as well as the corresponding equipment and tools.

The Knürr Technical Furniture manufactures and develops workstations for electronics labs and mobile equipment carriers for healthcare and automotive industries. Furthermore Knürr is the specialist for height adjustable control room workstations.

www.emerson.com
www.technical-furniture.com

Knürr Technical Furniture GmbH

Mariakirchener Straße 38
94424 Arnstorf • Germany
T +49 8723 28 0
F +49 8723 28 138
furniture@knuerr.com

While every precaution has been taken to ensure accuracy and completeness in this literature, InterMetro Industries Corporation assumes no responsibility and disclaims all liability for damages resulting from use of this information or for any errors or omissions.

The Emerson Logo is a trademark and a service mark of Emerson Electric Company.
©2012 Emerson Electric Co.

