

PCE



Connection  
to the future

POWER-BOX

**I M S T**

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX

POWER-BOX






# IMST

## POWER-BOX

### MOBILE VERSION

#### FEATURES

- handy, robust distribution box made of shock-resistant polyamide
- for distributing electricity to powered equipment or lighting systems on building sites
- ideal for craft businesses, the building trades, farmers, etc.
- maximum rated current of 32A 5p 400V
- up to 8 sockets
- window for up to 8 modules
- IP44, ready wired for connection
- also available in red



# 9030...

## MOBILE POWER-BOX

- **WxHxD = 197x200x197mm**
- **with carrying-handle made of high-grade steel**
- stackable, with take-up device for the connecting cable



- the mobile version has a take-up device for the connecting cable



- the mobile version can be stacked
- space-saving storage



## NON-FUSED

### - 9030010


- 2 CEE-sockets 16A 5p 400V
- 4 sockets (DIN 49440) 16A 250V
- CEE-plug 16A 5p 400V



## NON-FUSED

### - 9030020


- 2 CEE-sockets 16A 5p 400V
- 5 sockets (DIN 49440) 16A 250V
- 2m cable H07RN-F 5G2,5 with CEE-plug 16A 5p 400V



## NON-FUSED

### - 9030030

- 7 sockets (DIN 49440) 16A 250V
- 2m cable H07RN-F 3G2,5 with rubber-plug 16A 250V



## WINDOW for 6 MODULES

### - 9030014


- 2 CEE-sockets 16A 5p 400V
- 4 sockets (DIN 49440) 16A 250V
- 1 RCD 40A/4/0,03A - for all outlets
- CEE-plug 16A 5p 400V



## WINDOW for 6 MODULES

### - 9030206

- 2 CEE-sockets 16A 5p 400V
- 4 sockets (DIN 49440) 16A 250V
- 2 MCBs 16A 1p-C
- 1 RCD 40A/4/0,03A - for all outlets
- CEE-plug 16A 5p 400V



## WINDOW for 6 MODULES

### - 9030004


- 2 CEE-sockets 16A 5p 400V
- 5 sockets (DIN 49440) 16A 250V
- 1 RCD 40A/4/0,03A - for all outlets
- 2m cable H07RN-F 5G2,5 with CEE-plug 16A 5p 400V



## WINDOW for 6 MODULES

### - 9030204


- 2 CEE-sockets 16A 5p 400V
- 5 sockets (DIN 49440) 16A 250V
- 2 MCBs 16A 1p-C
- 1 RCD 40A/4/0,03A - for all outlets
- 2m cable H07RN-F 5G2,5 with CEE-plug 16A 5p 400V



## WINDOW for 6 MODULES

### - 9030040


- 7 sockets (DIN 49440) 16A 250V
- 1 RCD 40A/4/0,03A - for all outlets
- 2m cable H07RN-F 3G2,5 with rubber-plug 16A 250V



## WINDOW for 8 MODULES

### - 9030109


- 1 CEE-socket 32A 5p 400V
- 1 CEE-socket 16A 5p 400V
- 2 sockets (DIN 49440) 16A 250V
- 1 MCB 16A 3p-C
- 1 MCB 16A 1p-C
- 1 RCD 40A/4/0,03A - for all outlets
- CEE-plug 32A 5p 400V



## WINDOW for 8 MODULES

### - 9030117


- 1 CEE-socket 32A 5p 400V
- 1 CEE-socket 16A 5p 400V
- 3 sockets (DIN 49440) 16A 250V
- 1 MCB 16A 3p-C
- 1 MCB 16A 1p-C
- 1 RCD 40A/4/0,03A - for all outlets
- 2m cable H07RN-F 5G4 with CEE-plug 32A 5p 400V



## WINDOW for 8 MODULES

### - 9030119

- 2 CEE-sockets 16A 5p 400V
- 2 sockets (DIN 49440) 16A 250V
- 2 MCBs 16A 3p-C
- 2 MCBs 16A 1p-C
- CEE-plug 32A 5p 400V



## WINDOW for 8 MODULES

### - 9030129

- 2 CEE-sockets 16A 5p 400V
- 2 sockets (DIN 49440) 16A 250V
- 2 MCBs 16A 3p-C
- 2 MCBs 16A 1p-C
- 2m cable H07RN-F 5G4 with CEE-plug 32A 5p 400V

# IMST

## POWER-BOX

### SUSPENDED VERSION

#### FEATURES

- robust distribution box made of shock-resistant polyamide
- for distributing electricity to powered equipment or lighting systems on building sites
- ideal for craft businesses, the building trades, farmers, etc.
- maximum rated current of 32A 5p 400V
- up to 8 sockets
- window for up to 8 modules
- IP44, ready wired for connection



- version: electricity



- version: electricity / air

## 9031


### SUSPENDED VERSION

- **WxHxD = 197x197x120mm**
- **with hangers made of high-grade steel**
- suitable for combinations of electricity and air

#### WINDOW for 6 MODULES

##### - 9031598

- **Entry:**  
1 M25-cable gland on top
- **Outlet:**  
6 sockets (DIN 49440) 16A 250V  
2 MCBs 16A 1p-C  
1 RCD 40A/4/0,03A  
  
1 terminal block 5p 10mm<sup>2</sup>



#### WINDOW for 8 MODULES

##### - 9031022


- **Entry:**  
1 M25-cable gland on top  
1 quick-lock air coupling  
2-fold 1/2"

- **Outlet:**  
1 CEE-socket 16A 5p 400V  
4 sockets (DIN49440) 16A 250V  
4 MCBs 16A 1p-C  
1 RCD 40A/4/0,03A - for all outlets
- 1 compressing air tube size 1/2"
- 1 terminal block 5p 10mm<sup>2</sup>

## 9032

### SUSPENDED VERSION

- **WxHxD = 197x120x197mm**
- **with 4 ring-bolts**
- non-fused



#### NON-FUSED

##### - 9032009

- **Entry:**  
1 M25-cable gland on top
- **Outlet:**  
8 sockets (DIN 49440) 16A 250V  
1 terminal block 5p 10mm<sup>2</sup>



# IMST

## POWER-BOX

### VARIATIONS

#### QUALITY MANAGEMENT

- for maximum customer satisfaction and top performance (ISO 9001 Certification)

#### SPEED

- short delivery times due to flexible manufacturing




#### CUSTOMER-ORIENTED

- you choose the features
- special versions in accordance with your individual wishes

#### FEATURES

- the housing is calculated and tested for the highest mechanical loads
- all models are available in splash-proof design
- easy installation through optimum access to terminals





**Группа ICS**  
Центр дистрибуции

**Москва**

+7 (495) 720-49-00, +7 (495) 720-49-08

[ics@icsgroup.ru](mailto:ics@icsgroup.ru)

[www.icsgroup.ru](http://www.icsgroup.ru)

**Санкт-Петербург**

+7 (812) 337-10-87, +7 (812) 337-56-32

[baltica@icsgroup.ru](mailto:baltica@icsgroup.ru)

[www.icsbaltica.ru](http://www.icsbaltica.ru)

**Розничный магазин**

Бакунинская, д.74, +7 (495) 720-49-05

[www.icsmarket.ru](http://www.icsmarket.ru)